



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—								
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.
Quebec.....	Feb. 26										1	1
Rangoon.....	Jan. 22	252,155	187	8	6	1		6				
St. Petersburg.....	Feb. 16	1,678,000	852	143				15	1	9	23	12
Do.....	Jan. 29	1,678,000	882	156				17	1	5	27	23
Stockholm.....	do.....	339,582	93	24								2
Do.....	Feb. 5		102	22							3	4
Southampton.....	Jan. 29	127,157	22	4							1	1
Do.....	Feb. 5		28								1	1
Do.....	Feb. 19		43	3							1	1
Stettin.....	Jan. 22	239,000	70	4							3	2
Do.....	Feb. 5		67	5							1	1
Tarragona.....	do.....	20,400	14	1					1			
Turin.....	Feb. 3	391,465	111	13								1
Do.....	Feb. 10		164	23							3	
Valencia.....	Feb. 12	240,000	95	7					1			
Vienna.....	Jan. 29	2,085,888	620	101					1	4	7	10
Trieste.....	do.....	218,727	105						1			4
Do.....	Feb. 5	218,727	132						1		1	2
Vigo.....	Feb. 12	40,000	11	3					1			
Vladivostok.....	Jan. 13	85,004	16	2					2	1		
Do.....	Jan. 21		18					1		1		
Warsaw.....	Nov. 27	764,054	297	43				15	1	5	14	8
Winnipeg.....	Feb. 12	122,000	21	5								1

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated.)

AUSTRIA—*Brünn*.—Month of December, 1909. Population, 108,944. Total number of deaths from all causes, 130, including scarlet fever 2, diphtheria 1, tuberculosis 43.

AZORES—*St. Michaels*.—Month of December, 1909. Population, 131,183. Total number of deaths from all causes, 247, including typhoid fever 6, tuberculosis 9. Cases reported: Typhoid fever 16, diphtheria 3, tuberculosis 12.

BRAZIL—*Ceara*.—Month of December, 1909. Population, 55,000. Total number of deaths from all causes, 88, including typhoid fever 6, tuberculosis 14.

CANADA—*Vancouver*.—Month of January, 1910. Population, 78,900. Total number of deaths from all causes, 50, including typhoid fever 3, diphtheria 1, tuberculosis 6.

FRANCE—*St. Etienne*.—Two weeks ended January 31, 1910. Population, 15,000. Total number of deaths from all causes, 122, including diphtheria 2, tuberculosis 15.

GREAT BRITAIN.—Week ended February 5.

England and Wales.—The deaths registered in 76 great towns correspond to an annual rate of 17 per 1,000 of the population, which is estimated at 16,713,617.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 23 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Lurgan, viz, 4, and the highest at Newtownards, viz, 51.5.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 20.5 per 1,000 of the population, which is estimated at 1,864,194. The lowest rate was recorded at Perth, viz, 15.4, and the highest at Greenock, viz, 29.8. The total number of deaths from all causes was 744, including typhoid fever 4, measles 46, scarlet fever 11, diphtheria 14.

ITALY—*Genoa.*—Two weeks ended February 15, 1910. Population 279,163. Total number of deaths from all causes 273, including typhoid fever 3, tuberculosis 16.

JAMAICA—*Kingston.*—Month of January, 1910. Population 48,500. Total number of deaths from all causes 161, including tuberculosis 18.

SPAIN—*Seville.*—Month of January, 1910. Population 154,315. Total number of deaths from all causes 480, including typhoid fever 3, smallpox 7, measles 1, diphtheria 1, tuberculosis 82.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.